Caner risk (adult)						· · · · · · · · · · · · · · · · · · ·				
RME										
fish conc	food prep loss	meal size	meals per month	mo/yr fish taken from river	ave. daily consumption	number of years consuming fish	averaging time	body weight	slope factor	risk
mg/kg		kg			kg/d	yr	yr	kg	(mg/kg/d)^-1	
1	0	0.227	4	12	0.0299	64	70	70	2	7.8E-04
CTE										
CTE										
fish conc	food prep loss	meal size	meals per month	mo/yr fish taken from river	ave. daily consumption	number of years consuming fish	averaging time	body weight	slope factor	risk
mg/kg		kg			kg/d	yr	yr	kg	(mg/kg/d)^-1	
1	0.24	0.227	2	6	0.0075	25	70	70	1	5.8E-05
Non-cancer risk (adult)										
RME										
fish conc	food prep loss	meal size	meals per month	mo/yr fish taken from river	ave. daily consumption	number of years consuming fish	averaging time	body weight	RfD	HI
mg/kg		kg			kg/d	yr	yr	kg	(mg/kg/d)	
1	0	0.227	4	12	0.0299	1	1	70	2.00E-05	21.3
CTE							<u> </u>			
fish conc	food prep loss	meal size	meals per month	mo/yr fish taken from river	ave. daily consumption	number of years consuming fish	averaging time	body weight	RfD	HI
mg/kg		kg			kg/d	yr	yr	kg	(mg/kg/d)	
1	0.24	0.227	2	12	0.0149	1	1	70	2.00E-05	8.1
				·		· · · · · · · · · · · · · · · · · · ·				

Comparison to HHRA

Uncertainty Analysis Ta	rgeted at the RME and CTE	West Cornwall/Bulls Bridge, Bass Consumption			
95% credibility interval 95% credibility interval		HHRA	PBA	PBA	
[risk coefficients uncertain]	[risk coefficients constant]	point estimates	(90th, 99th percentile)	(95th percentile)	
RISK RME	RISK RME		lowest lower to highest upper bound		
1.1 E-5 to 1.3 E-3	8.6 E-5, 1.4 E-3	1 E-3	3 E-5, 1.8E-2	4.1 E-5, 4.2 E-3	
		PBA		РВА	
RISK CTE	RISK CTE		(25th, 75th percentile)	(50th percentile)	
8.7 E-7 to 1.3 E-4	5.5 E-6, 1.7 E-4	9 E-5	2.2 E-6, 6.8 E-4	5.3 E-6, 2.9 E-4	
Non-Cancer Hazard Index		Non-Cancer Hazard Index			
			PBA	PBA	
HI RME	HI RME		(90th, 99th percentile)	(95th percentile)	
0.24 to 36	4.4, 54	26 8.2, 370		13, 72	
			РВА	PBA	
HI CTE	HI CTE		(25th, 75th percentile)	(50th percentile)	
0.035 to 7.0	0.62, 11	12	0.45, 13	1.4, 5.1	


Crystal Ball Report

Simulation started on 11/16/03 at 14:44:35 Simulation stopped on 11/16/03 at 14:44:37

Forecast: RME risk Cell: K5

Summary:

Certainty Level is 95.00%
Certainty Range is from 1.1E-5 to 1.1E-3
Display Range is from 0.0E+0 to 1.2E-3
Entire Range is from 1.9E-6 to 7.7E-3
After 5,000 Trials, the Std. Error of the Mean is 4.8E-6




Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	1.9E-06
2.5%	1.1E-05
5.0%	1.7E-05
50.0%	1.6E-04
95.0%	8.4E-04
97.5%	1.1E-03
100.0%	7.7E-03

Forecast: CTE risk Cell: K10

Summary:

Certainty Level is 95.00%
Certainty Range is from 8.7E-7 to 1.3E-4
Display Range is from 0.0E+0 to 1.5E-4
Entire Range is from 9.6E-8 to 4.8E-4
After 5,000 Trials, the Std. Error of the Mean is 5.4E-7




Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	9.6E-08
2.5%	8.7E-07
5.0%	1.4E-06
50.0%	1.5E-05
95.0%	9.1E-05
97.5%	1.3E-04
100.0%	4.8E-04

Forecast: HI RME Cell: K17

Summary:

Certainty Level is 95.00%
Certainty Range is from 2.4E-1 to 3.6E+1
Display Range is from 0.0E+0 to 3.5E+1
Entire Range is from 3.2E-2 to 1.1E+2
After 5,000 Trials, the Std. Error of the Mean is 1.4E-1




Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	3.2E-02
2.5%	2.4E-01
5.0%	3.3E-01
50.0%	5.6E+00
95.0%	2.8E+01
97.5%	3.6E+01
100.0%	1.1E+02

Forecast: HI CTE Cell: K22

Summary:

Certainty Level is 95.00%
Certainty Range is from 3.5E-2 to 7.0E+0
Display Range is from 0.0E+0 to 7.0E+0
Entire Range is from 4.7E-3 to 3.7E+1
After 5,000 Trials, the Std. Error of the Mean is 2.9E-2



Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	4.7E-03
2.5%	3.5E-02
5.0%	5.3E-02
50.0%	8.6E-01
95.0%	5.3E+00
97.5%	7.0E+00
100.0%	3.7E+01


Assumptions

Assumption: mean fish conc. (mg/kg)

Lognormal distribution with parameters:

Geometric Mean 1.00 Geometric Std. Dev. 1.40

Selected range is from 0.00 to +Infinity



Cell: A5

Cell: B5

Cell: C5


Cell: D5

Assumption: cooking loss

Triangular distribution with parameters:

Minimum 0.00 Likeliest 0.20 Maximum 0.30

Selected range is from 0.00 to 0.30




Assumption: meal size (kg)

Lognormal distribution with parameters:

Geometric Mean 0.23 Geometric Std. Dev. 1.30

Selected range is from 0.00 to +Infinity



Correlated with:


Body Weight (kg) (I5) 0.70

Assumption: CR RME meals consumed per month

Triangular distribution with parameters:

Minimum 1.00 Likeliest 8.00 Maximum 12.00


Selected range is from 1.00 to 12.00



Assumption: CR RME months per year fish are consumed

Uniform	distribution	with	parameters:
---------	--------------	------	-------------

Minimum	•	4.00
Maximum		12 00




Assumption: CR RME years that fish are caught from R

Cell:	G5

Cell: E5

Custom distribution with paran	neters:	Relative Prob.
Single point	25.00	0.250000
Single point	30.00	0.250000
Single point	40.00	0.200000
Single point	50.00	0.200000
Single point	60.00	0.075000
Single point	64.00	0.025000
Total Relative Probability		1.000000




Assumption: Body Weight (kg)

Cell: 15

Lognormal	distribution	with	parameters:
Louidilliai	uistributiori	vvilii	parameters.

Geometric Mean	70.00
Geometric Std. Dev.	1.30

Selected range is from 0.00 to +Infinity




Correlated with:

meal size (kg) (C5) 0.70

Assumption: slope factor (mg/kg/d)^-1

Custom distribution with parar	neters:	Relative Prob.
Single point	0.10	0.100000
Single point	0.50	0.250000
Single point	1.00	0.450000
Single point	2.00	0.150000
Single point	4.00	0.050000
Total Relative Probability		1.000000




Assumption: food prep loss

Triangular distribution with parameters:

Minimum
0.00
Likeliest
0.20
Maximum
0.30

Selected range is from 0.00 to 0.30



Cell: J5

Cell: B10

Cell: D10

Assumption: CR CTE meals per month

Custom distribution with parame	eters:	Relative Prob.
Single point	1.00	0.200000
Single point	2.00	0.500000
Single point	3.00	0.250000
Single point	4.00	0.050000
Total Relative Probability		1 000000

Assumption: CR CTE meals per month (cont'd)

CR CTE meals per month

500
375250
125

Mean=2.15

Assumption: CR CTE months per year fish caught from

Triangular distribution with parameters:

Minimum	1.00
Likeliest	3.00
Maximum	9.00

Selected range is from 1.00 to 9.00




Cell: D10

Cell: E10

Cell: G10

Assumption: CR CTE years engaged in consuming fish f

Custom distribution with parameters: Relative Prob. Single point 5.00 0.050000 Single point 10.00 0.100000 Single point 15.00 0.150000 Single point 20.00 0.200000 Single point 25.00 0.200000 Single point 30.00 0.150000 Single point 40.00 0.100000 Single point 50.00 0.025000 Single point 60.00 0.012500 Single point 64.00 0.012500 Total Relative Probability 1.000000



Assumption: HI RME meals per month

Cell: D17


Cell: D22

Cell: J17

Triangular	distribution	with	parameters:


Minimum	1.00
Likeliest	6.00
Maximum	12.00

Selected range is from 1.00 to 12.00



Assumption: HI CTE meals per month

Custom distribution with p	arameters:	Relative Prob.
Single point	1.00	0.500000
Single point	2.00	0.300000
Single point	3.00	0.150000
Single point	4.00	0.050000
Total Relative Probability		1.000000




Assumption: RfD (mg/kg/d)

Custom distribution with	parameters:	Relative Prob.
Single point	2.00E-05	0.200000
Single point	4.00E-05	0.350000
Single point	1.00E-04	0.250000
Single point	5.00E-04	0.150000
Single point	1.00E-03	0.050000
Total Relative Probability		1.000000

Assumption: RfD (mg/kg/d) (cont'd)


Cell: J17



Assumption: HI RME months fish taken from river

Cell: E17

Minimum	•	4.00
Maximum		12.00



Assumption: HI CTE months fish taken from river

Cell: E22

Triangular	distribution	with	parameters:
Hianuulai	uistributiori	willi	parameters.

Minimum	1.00
Likeliest	4.00
Maximum	10.00

Selected range is from 1.00 to 10.00



End of Assumptions


Crystal Ball Report

Simulation started on 11/17/03 at 9:13:03 Simulation stopped on 11/17/03 at 9:13:06

Forecast: RME risk Cell: K5

Summary:

Certainty Level is 95.00%
Certainty Range is from 8.6E-5 to 1.4E-3
Display Range is from 0.0E+0 to 1.5E-3
Entire Range is from 2.7E-5 to 3.7E-3
After 5,000 Trials, the Std. Error of the Mean is 5.1E-6




Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	2.7E-05
2.5%	8.6E-05
5.0%	1.1E-04
50.0%	3.9E-04
95.0%	1.2E-03
97.5%	1.4E-03
100.0%	3.7E-03

Forecast: CTE risk Cell: K10

Summary:

Certainty Level is 95.00%
Certainty Range is from 5.5E-6 to 1.7E-4
Display Range is from 0.0E+0 to 1.8E-4
Entire Range is from 1.0E-6 to 4.8E-4
After 5,000 Trials, the Std. Error of the Mean is 6.6E-7




Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	1.0E-06
2.5%	5.5E-06
5.0%	7.4E-06
50.0%	3.6E-05
95.0%	1.4E-04
97.5%	1.7E-04
100.0%	4.8E-04

Forecast: HI RME Cell: K17

Summary:

Certainty Level is 95.00%
Certainty Range is from 4.4E+0 to 5.4E+1
Display Range is from 0.0E+0 to 5.5E+1
Entire Range is from 1.1E+0 to 1.3E+2
After 5,000 Trials, the Std. Error of the Mean is 1.9E-1




Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	1.1E+00
2.5%	4.4E+00
5.0%	5.4E+00
50.0%	1.7E+01
95.0%	4.6E+01
97.5%	5.4E+01
100.0%	1.3E+02

Forecast: HI CTE Cell: K22

Summary:

Certainty Level is 95.00%
Certainty Range is from 6.2E-1 to 1.1E+1
Display Range is from 0.0E+0 to 1.1E+1
Entire Range is from 1.7E-1 to 3.0E+1
After 5,000 Trials, the Std. Error of the Mean is 4.0E-2



Percentiles:

<u>Percentile</u>	<u>Value</u>
0.0%	1.7E-01
2.5%	6.2E-01
5.0%	7.8E-01
50.0%	2.6E+00
95.0%	9.0E+00
97.5%	1.1E+01
100.0%	3.0E+01

Assumptions

Assumption: mean fish conc. (mg/kg)

Cell: A5

Geometric Mean 1.00 Geometric Std. Dev. 1.40 Man+103


Selected range is from 0.00 to +Infinity

Assumption: cooking loss

Cell: B5

Triangular distribution with parameters:

Minimum 0.00 Likeliest 0.20 Maximum 0.30




Selected range is from 0.00 to 0.30

Assumption: meal size (kg)

Cell: C5

Lognormal distribution with parameters:

Geometric Mean 0.23 Geometric Std. Dev. 1.30



Selected range is from 0.00 to +Infinity

Correlated with:


Body Weight (kg) (I5) 0.70

Assumption: CR RME meals consumed per month

Cell: D5

Triangular distribution with parameters:

Minimum1.00Likeliest8.00Maximum12.00



Selected range is from 1.00 to 12.00

Assumption: CR RME months per year fish are consumed

Cell: E5

Uniform distribution with parameters:


Minimum 4.00 Maximum 12.00



Assumption: CR RME years that fish are caught from R

Cell: G5

Custom distribution with parameters:		Relative Prob.
Single point	25.00	0.250000
Single point	30.00	0.250000
Single point	40.00	0.200000
Single point	50.00	0.200000
Single point	60.00	0.075000
Single point	64.00	0.025000
Total Relative Probability		1.000000




Assumption: Body Weight (kg)

Cell: 15

Lognormal distribution with parameters:

Geometric Mean 70.00 Geometric Std. Dev. 1.30



Selected range is from 0.00 to +Infinity


Correlated with:

meal size (kg) (C5) 0.70

Assumption: slope factor (mg/kg/d)^-1

Custom distribution with parameters:		Relative Prob.
Single point	0.10	0.100000
Single point	0.50	0.250000
Single point	1.00	0.450000
Single point	2.00	0.150000
Single point	4.00	0.050000
Total Relative Probability		1.000000

^{**} Frozen Assumption ** value used was 2.00



Assumption: food prep loss

Triangular distribution with parameters:	
Minimum	0.00
Likeliest	0.20
Maximum	0.30

Man = 3.7

Cell: J5

Cell: B10


Cell: D10

Selected range is from 0.00 to 0.30

Assumption: CR CTE meals per month

Custom distribution with parameters:		Relative Prob.
Single point	1.00	0.200000
Single point	2.00	0.500000
Single point	3.00	0.250000
Single point	4.00	0.050000
Total Relative Probability		1.000000
5 1		


Assumption: CR CTE meals per month (cont'd)



Assumption: CR CTE months per year fish caught from

Triangular distribution with parameters:

Minimum	1.00
Likeliest	3.00
Maximum	9.00



Cell: D10


Cell: E10

Cell: G10

Selected range is from 1.00 to 9.00

Assumption: CR CTE years engaged in consuming fish f


Custom distribution with parameters:		Relative Prob.
Single point	5.00	0.050000
Single point	10.00	0.100000
Single point	15.00	0.150000
Single point	20.00	0.200000
Single point	25.00	0.200000
Single point	30.00	0.150000
Single point	40.00	0.100000
Single point	50.00	0.025000
Single point	60.00	0.012500
Single point	64.00	0.012500
Total Relative Probability		1.000000



Assumption: HI RME meals per month

Triangular distribution with parameters:

Minimum	1.00
Likeliest	6.00
Maximum	12.00




Cell: D17

Cell: D22

Selected range is from 1.00 to 12.00

Assumption: HI CTE meals per month

Custom distribution with parameters:	
1.00	0.500000
2.00	0.300000
3.00	0.150000
4.00	0.050000
	1.000000
	1.00 2.00 3.00



Assumption: RfD (mg/kg/d) Cell: J17


Custom distribution with parameters:		Relative Prob.
Single point	2.00E-05	0.200000
Single point	4.00E-05	0.350000
Single point	1.00E-04	0.250000
Single point	5.00E-04	0.150000
Single point	1.00E-03	0.050000
Total Relative Probability		1.000000

^{**} Frozen Assumption ** value used was 2.00E-5

Hoffman PCB Risk.xls

Assumption: RfD (mg/kg/d) (cont'd)

RD (mgkgt)



Assumption: HI RME months fish taken from river


Cell: E17

Cell: E22

Cell: J17

Uniform distribution with parameters:

Minimum 4.00 Maximum 12.00



Assumption: HI CTE months fish taken from river

Triangular distribution with parameters:

Minimum1.00Likeliest4.00Maximum10.00

HICTE more is fis in taken it om river

Selected range is from 1.00 to 10.00

End of Assumptions

